

Contents

VOLUME 13, NUMBER 1, APRIL 1998

| | |
|---|----|
| Oxygen isotope ratios between soil water and stem water of trees in pot experiments <i>Kazushi Takabayashi</i> | 1 |
| Spore dispersal of <i>Dictyophora</i> fungi (Phallaceae) by flies <i>Nobuko Tuno</i> | 7 |
| Contribution of micro-organisms to the carbon dynamics in black spruce (<i>Picea mariana</i>) forest soil in Canada <i>Masaki Uchida, Takayuki Nakatsubo, Takao Horikoshi and Kaneyuki Nakane</i> | 17 |
| The role of sexual and clonal reproduction in maintaining population in <i>Fritillaria camschatcensis</i> (L.) Ker-Gawl. (Liliaceae) <i>Takaaki Shimizu, Yasuo Hatanaka, Hiroko Zentoh, Takeshi Yashima, Eiichiro Kinoshita, Yasuyuki Watano and Tatemi Shimizu</i> | 27 |
| Effects of outbreak of the tree millipede <i>Parafontaria laminata armigera</i> Verhoeff (Diplopoda: Xystodesmidae) on litter decomposition in a natural beech forest in Central Japan. 1. Density and biomass of soil invertebrates <i>Keiko Niijima</i> | 41 |
| Shoot growth and tree architecture of saplings of the major canopy dominants in a warm-temperate rainforest <i>Masaaki Takei</i> | 55 |
| Comparison of growth habits under various light conditions between two climax species, <i>Castanopsis sieboldii</i> and <i>Castanopsis cuspidata</i> , with special reference to their shade tolerance <i>Shozo Hiroki and Kazuo Ichino</i> | 65 |
| Foraging habitat shift in the narcissus flycatcher, <i>Ficedula narcissina</i> , due to the response of herbivorous insects to the strengthening defenses of canopy trees <i>Masashi Murakami</i> | 73 |
| Colonization of an artificial stream by fishes and aquatic macro-invertebrates <i>Osamu Katano, Jun-ichi Toi, Koji Maekawa and Kei'ichiro Iguchi</i> | 83 |

VOLUME 13, NUMBER 2, AUGUST 1998

| | |
|---|-----|
| Ski slope vegetation at Snoqualmie Pass, Washington State, USA, and a comparison with ski slope vegetation in temperate coniferous forest zones <i>Jonathan H. Titus and Shiro Tsuyuzaki</i> | 97 |
| Patterns and mechanisms of transpiration in a large subalpine Norway spruce (<i>Picea abies</i> (L.) Karst.) <i>Karl Martin Herzog, Roland Thüm, Gerhard Kronfuß, Hans-Jakob Heldstab and Rudolf Hässler</i> | 105 |
| Physiological tolerance of <i>Camellia rusticana</i> leaves to heavy snowfall environments: The effects of prolonged snow cover on evergreen leaves <i>Atsushi Kume, Chikako Tanaka, Shunichi Matsumoto and Yoshio Ino</i> | 117 |
| Impact of flowering on bird community dynamics in some central Victorian eucalypt forests <i>J. M. McGoldrick and R. Mac Nally</i> | 125 |
| Identification of conservation measures to protect the Japanese endangered plant species <i>Aster kantoensis</i> <i>Ken Inoue, Noboru Kuramoto, Masayuki Maki, Michiko Masuda and Izumi Washitani</i> | 141 |

| | |
|---|-----|
| Mate choice by males of the hermit crab <i>Pagurus filholi</i> : Do males assess ripeness and/or fecundity of females? <i>Seiji Goshima, Tetsuya Kawashima and Satoshi Wada</i> | 151 |
| Studies on litter decomposition processes in a temperate forest ecosystem. I. Change of organic matter in oak (<i>Quercus liaotungensis</i> Koidz.) twigs <i>Jian-Hui Huang, Xing-Guo Han and Ling-Zhi Chen</i> | 163 |
| Effects of potential PAR on shoot extension in juveniles of the main tree species in a Japanese temperate forest <i>Megumi Ishida and Rob Peters</i> | 171 |
| Growth analysis of the self-thinning stands of <i>Pinus densiflora</i> Sieb. et Zucc. <i>Li Xue and Akio Hagihara</i> | 183 |
| Characteristics of <i>Sasa nipponica</i> grassland as a summer forage resource for sika deer on Mt Ohdaigahara, central Japan <i>Shoitaro Yokoyama and Ei'ichi Shibata</i> | 193 |
| Nutrient dynamics and lignocellulose degradation in decomposing <i>Quercus serrata</i> leaf litter <i>Eric F. Salamanca, Nobuhiko Kaneko, Shigeo Katagiri and Yasubide Nagayama</i> | 199 |
| Plasticity of flower longevity in <i>Corydalis ambigua</i> <i>Michiyasu Yasaka, Yuki Nishiwaki and Yasuo Konno</i> | 211 |
| Allometry, root/shoot ratio and root architecture in understory saplings of deciduous dicotyledonous trees in central Japan <i>Kun-Fang Cao and Tatsuhiko Obkubo</i> | 217 |
| Effects of arrival order and seed size on germination of grassland plants: Are there assembly rules during recruitment? <i>Ove Eriksson and Åsa Eriksson</i> | 229 |
| Methane and hydrogen production in a termite-symbiont system <i>Atsuko Sugimoto, Tetsushi Inoue, Ichiro Tayasu, Leigh Miller, Satoki Takeichi and Takuya Abe</i> | 241 |

VOLUME 13, NUMBER 3, DECEMBER 1998

| | |
|---|-----|
| Effect of immigration on a chaotic insect population <i>Jose L. Gonzalez-Andujar</i> | 259 |
| Costs and benefits for water strider (<i>Aquarius paludum</i>) females of carrying guarding, reproductive males <i>Hideki Amano and Koiji Hayashi</i> | 263 |
| Satellite tracking of the migration of the red-crowned crane <i>Grus japonensis</i> <i>Hiro Yoshi Higuchi, Yuri Shibaev, Jason Minton, Kyoaki Ozaki, Sergey Surnach, Go Fujita, Kunikazu Momose, Yuria Momose, Mutsumi Ueda, Vladimir Andronov, Nagabisa Mita and Yutaka Kanai</i> | 273 |
| Multiple mating and lifetime reproductive output in female dobsonflies that receive nuptial gifts <i>Fumio Hayashi</i> | 283 |
| Distribution and turnover of a mosquito (<i>Tripteroides bambusa</i>) metapopulation among bamboo groves <i>Toshihiko Sunabara and Motoyoshi Mogi</i> | 291 |
| Soil nitrogen mineralization rates of rainforests in a matrix of elevations and geological substrates on Mount Kinabalu, Borneo <i>Kanehiro Kitayama, Shin-Ichiro Aiba, Noreen Majalap-Lee and Masabiko Ohsawa</i> | 301 |
| Spatial pattern changes in aboveground plant biomass in a grazing pasture <i>Masae Shiyomi, Mari Okada, Shigeo Takahashi and Yanbong Tang</i> | 313 |
| Current state and the future of the crested ibis (<i>Nipponia nippon</i>): A case study by population viability analysis <i>Xinbai Li and Dianmo Li</i> | 323 |

| | |
|---|-----|
| Contribution of woody debris to trout habitat modification in small streams in secondary deciduous forest, northern Japan <i>Hirokazu Urabe and Shigeru Nakano</i> | 335 |
| Seed dispersal curve of a Mediterranean myrmecochore: Influence of ant size and the distance to nests <i>Crisanto Gómez and Xavier Espadaler</i> | 347 |
| Study of changes in life zone distribution in north-east China by climate–vegetation classification <i>Qi-Jing Liu, Akibiko Kondoh and Nobuo Takeuchi</i> | 355 |
| The role of male dispersal in the evolution of female altruistic behavior in viscous populations <i>Masakado Kawata</i> | 367 |
| The use of carbon and nitrogen isotope ratios in termite research (Mini Review) <i>Ichiro Tayasu</i> | 377 |
| Referees | 389 |
| Author index | 391 |
| Subject index | 393 |



